

# INDEX MAPS.

## T. 34 N. R. 4 W. 2<sup>nd</sup> Mer.

|     | 421            |     | 420            |     | 420            |     | 420            |     | 420            |     | 419            |     |
|-----|----------------|-----|----------------|-----|----------------|-----|----------------|-----|----------------|-----|----------------|-----|
| 423 | 6              | 447 | 5              | 440 | 4              | 436 | 3              | 432 | 2              | 428 | 1              | 419 |
|     | <del>446</del> |     | <del>446</del> |     | <del>440</del> |     | <del>435</del> |     | <del>431</del> |     | <del>427</del> |     |
| 423 | 7              | 446 | 8              | 439 | 9              | 435 | 10             | 431 | 11             | 427 | 12             | 419 |
|     | <del>445</del> |     | <del>445</del> |     | <del>439</del> |     | <del>435</del> |     | <del>431</del> |     | <del>426</del> |     |
| 422 | 18             | 444 | 17             | 439 | 16             | 434 | 15             | 430 | 14             | 426 | 13             | 418 |
|     | <del>444</del> |     | <del>444</del> |     | <del>438</del> |     | <del>434</del> |     | <del>430</del> |     | <del>425</del> |     |
| 422 | 19             | 443 | 20             | 438 | 21             | 433 | 22             | 430 | 23             | 425 | 24             | 418 |
|     | <del>443</del> |     | <del>442</del> |     | <del>438</del> |     | <del>433</del> |     | <del>429</del> |     | <del>425</del> |     |
| 422 | 30             | 442 | 29             | 437 | 28             | 433 | 27             | 429 | 26             | 424 | 25             | 418 |
|     | <del>441</del> |     | <del>441</del> |     | <del>437</del> |     | <del>432</del> |     | <del>429</del> |     | <del>424</del> |     |
| 421 | 31             | 440 | 32             | 436 | 33             | 432 | 34             | 428 | 35             | 424 | 36             | 418 |
|     | 417            |     | 417            |     | 416            |     | 416            |     | 416            |     | 416            |     |

## T. 35 N. R. 4 W. 2<sup>nd</sup> Mer.

|     | 458            |     | 458            |     | 458            |     | 457            |     | 457            |     | 456            |     |
|-----|----------------|-----|----------------|-----|----------------|-----|----------------|-----|----------------|-----|----------------|-----|
| 460 | 6              | 484 | 5              | 478 | 4              | 474 | 3              | 469 | 2              | 465 | 1              | 456 |
|     | <del>484</del> |     | <del>484</del> |     | <del>478</del> |     | <del>473</del> |     | <del>469</del> |     | <del>465</del> |     |
| 460 | 7              | 483 | 8              | 477 | 9              | 473 | 10             | 468 | 11             | 464 | 12             | 455 |
|     | <del>483</del> |     | <del>483</del> |     | <del>477</del> |     | <del>472</del> |     | <del>468</del> |     | <del>464</del> |     |
| 460 | 18             | 482 | 17             | 477 | 16             | 472 | 15             | 468 | 14             | 463 | 13             | 455 |
|     | <del>482</del> |     | <del>481</del> |     | <del>476</del> |     | <del>471</del> |     | <del>467</del> |     | <del>463</del> |     |
| 459 | 19             | 481 | 20             | 476 | 21             | 471 | 22             | 467 | 23             | 462 | 24             | 455 |
|     | <del>480</del> |     | <del>480</del> |     | <del>475</del> |     | <del>471</del> |     | <del>467</del> |     | <del>462</del> |     |
| 459 | 30             | 480 | 29             | 475 | 28             | 470 | 27             | 466 | 26             | 461 | 25             | 454 |
|     | <del>479</del> |     | <del>478</del> |     | <del>474</del> |     | <del>470</del> |     | <del>466</del> |     | <del>461</del> |     |
| 459 | 31             | 478 | 32             | 474 | 33             | 470 | 34             | 466 | 35             | 461 | 36             | 454 |
|     | <del>453</del> |     | <del>453</del> |     | <del>452</del> |     | <del>452</del> |     | <del>452</del> |     | <del>452</del> |     |

The figures on the lines refer to the page.

C. L. South Boundary, Var. 5° 45' E.

West On the S. side of sec. 36  
 22.00 Leaves the wet prairie  
 40.00 Set the gr. sec. cor. post from which  
     a G. Oak 18 in. dia. bears N 29° 54' 3" E 1/2 S 1/2 W  
     & a Spr. 20 " " " N 55° W 45 " "  
 80.00 Set a post cor. to sec. 35 & 36 from wh.  
     a G. Oak 18 in. dia. bears N 47° 58' 4" E 1/2 S 1/2 W  
     & a Spr. 10 " " " N 27° 1/2 W 44° 48 " "  
 Land level bears 2<sup>nd</sup> rate thinly  
 timbered with B & W some Br. W. oak

West On the S. side of sec. 35,  
 40.00 Set the gr. sec. cor. post from wh.  
     a Hickory 10 in. dia. bears N 45° W 88 " "  
     & a G. Oak 18 " " " N 62° E 76 " "  
 74.00 Enter bog prairie  
 80.00 Set a post cor. to sec. 34 & 35  
     (no bearings given.)  
 Land E. of prairie same as last  
 prairie level & 2<sup>nd</sup> rate.

West On the S. side of sec. 34  
 10.00 For an Indian trail cr. S. W  
 40.00 Set gr. sec. cor. post in prairie  
     where raise a mound  
 80.00 Set a post cor. to sec. 33 & 34 in do.  
     where raise a mound  
 Land level smooth prairie 2<sup>nd</sup> rate  
 This is called bog prairie -

West On the S. side of sec. 33  
 40.00 Set the gr. sec. cor. post in prairie



6. L. where raise a mound  
 40.00 Eaten wet prairie —  
 80.00 Set post cor to sec. 32 & 33 in do.  
 where raise a mound  
 E $\frac{1}{2}$  dry & W $\frac{1}{2}$  wet prairie —

Met On the S. side of sec. 32  
 37.45 To a Brook 15 M. wide on S. (Hwy ch.)  
 38.25 " same " " " " N.E.  
 38.55 " Do, " " " " S.E.  
 creek has good current & hard bottom  
 40.00 Set the gr. sec. cor. post in prairie  
 where raise a mound in Do.  
 42.00 Leave wet & Eaten dry prairie  
 62.79 To a Br. Oak 11 in. dia. in the line  
 80.00 Set a post cor. to sec. 31 & 32 from  
 a Br. Oak 9 in. dia. bears N 47 $\frac{3}{4}$  E 126 M.  
 & a Do. 16 " " " N 79 $\frac{1}{2}$  W 146 "  
 E $\frac{1}{2}$  is same as last. W $\frac{1}{2}$  is level & dry  
 prairie & some small Br. Oaks,

Met On the S. side of sec. 31.  
 2.00 Leave the prairie  
 12.34 To a Hickory 12 in. dia. in the line  
 37.06 " a Hickory 14 " " " " "  
 40.00 Set the gr. sec. cor. post from wh.  
 a Hickory 9 in. dia. bears N 53 $\frac{3}{4}$  E 81 M.  
 & a Do. 11 " " " N 29 $\frac{3}{4}$  W 49 "  
 46.00 To prairie wet in places, on S.D. W  
 56.00 Leave Do. narrow & stony  
 81.58 To the W. boundy. of Town. at 5.79.22  
 & set post cor. to Town 34 & 35 at the  
 Ranges 6 & 5 with for. cor. from which  
 a Br. Oak 12 in. dia. bears N 28 $\frac{1}{2}$  W 91 M. 9 in.

454

T. 35 N. R. 4 W. 3<sup>rd</sup> Mer Ind<sup>a</sup>

6. S.

& a Br. Oak 14 in. dia. bears N 30 $\frac{3}{4}$  E 31 M,  
Land level barren, good soil well-  
timbered with G. & Br. Oak & Hickory  
Var. 5 $^{\circ}$  45' E, February 8<sup>th</sup> 1834 —  
Surveyed by Robt. Clark Jr. Dep. Sur.

East Boundary.

Corner in mound.

(Var. 7 $^{\circ}$  40' E.)

North On the E. side of sec. 36

40.00 Set the gr. sec. cor. post from which  
a Pin Oak 8 in. dia. bears N 11 $\frac{1}{2}$  W 328 M,  
& a No. 9 " " " S 77 $\frac{1}{2}$  E 202 "

41.00 Leave the mark

80.00 Set a post cor. to sec. 25 & 36

a Br. Oak 7 in. dia. bears S 2 W 23 M,

& a Pin Oak 12 " " " N 43 $\frac{1}{4}$  W 28 "

Land 1 $\frac{1}{2}$  mile - marsh - back 39 ch.,  
3 $^{\circ}$  rate soil, thinly timbered with W.  
G. & Br. Oak & Hickory & —

North On the E. side of sec. 25,

20.46 To an Indian trail cr. N. E.,

25.45 To a No. Oak 12 in. dia. in the line,

40.00 Set the gr. sec. cor. post from which  
a Br. Oak 14 in. dia. bears S 3 $\frac{1}{2}$  W 41 M, in  
S a W Oak 15 " " " N 44 $\frac{1}{2}$  W 46 "

45.00 Enter a marsh

52.65 To a brook 6 M. wide cr. S. E.,

55.50 Leave the marsh

63.55 To a No. Oak 15 in. dia. in the line,

80.00 Set a post cor. to sec. 24 & 25,

a Red Oak 12 in. dia. bears N 56 $\frac{1}{4}$  W 22 M,

& a W. Oak 13 " " " S 24 W 42,

Land poor soil & timber same as last,

T. 35 N. R. 4 W. 2<sup>nd</sup> Mer. Ind.<sup>n</sup>

|                |   |
|----------------|---|
| On L,<br>North | On the E. side of sec. 24   |
| .42            | To a G. Oak 20 in. dia. in the line   |
| 8.48           | To a W. Oak 12 " " " "  |
| 19.50          | Entered a marsh   |
| 29.50          | Leave the same  |
| 40.00          | Set the gr. sur. cor. post from wh.<br>a Hickory 15 in. dia. bearing N 22 1/2° W 44 ft.,<br>+ a Do. 14 " " " S 36° W 58.          |
| 50.40          | To a Hickory 10 " " in the line,  |
| 80.00          | Set a post cor. to sec. 13 & 24 from wh.<br>a Hickory 12 in. dia. bearing N 29 3/4° W 76 ft.,<br>+ a Do. 10 " " " N 43 1/4° W 35. |
|                | Land 2 <sup>nd</sup> rate & thirty timbered with<br>W. B. & Br. Oak Hickory &c  |

|       |   |
|-------|---|
| North | On the E. side of sec. 13,  |
| 3.18  | To a Br Oak 10 in. dia. in the line.  |
| 6.00  | To a prairie cor. S W & N E,  |
| 14.50 | Leave the Do. —   |
| 40.00 | Set the gr. sur. cor. post from which<br>a G Oak 22 in. dia. bearing N 87 3/4° W 38 ft.,<br>+ a Do. 20 " " " N 21 3/4° W 90 "     |
| 50.50 | Entered a marsh   |
| 80.00 | Set a post cor. to sec. 12 & 13.<br>a G. Oak 20 in. dia. bearing N 24 1/2° W 198 ft. into<br>+ a Do. 22 " " " N 61 1/2° W 147 " " |
|       | Land 1 <sup>st</sup> & 2 <sup>nd</sup> 50 ft. same as last well<br>+ last 23.5 ft. all marsh.                                     |

|       |  |
|-------|--|
| North | On the E. side of sec. 12,   |
| 1.50  | Leave the marsh  |
| 40.00 | Set the gr. sur. cor. post from which<br>a Hickory 9 in. dia. bearing N 19 3/4° W 24 ft. into<br>+ a Br Oak 6 " " " S 70 3/4° W 42 " " |

456

T. 35 N. R. 4 W. 2<sup>nd</sup> Mer. Ind.?

|                |  |
|----------------|--|
| 6. L,<br>80.00 | Set a post cor. to sec. 1, 1812 from wh,<br>a Br. Oak 6 in. dia., bears S 47 $\frac{1}{2}$ W 98 $\frac{1}{2}$ ft.,<br>& a No. 16 a " " N 61 $\frac{1}{2}$ W 362 $\frac{1}{2}$<br>Land good soil thinly timbered<br>with W. Br. Oak & Hickory & |
| North          | On the E. side of sec. 1,  |
| 14.35          | To an Indian trail cor. NE,  |
| 14.95          | To a Hickory 10 in. dia. in the line,  |
| 16.00          | Enter a marsh  |
| 32.00          | Leave the same   |
| 40.00          | Set the gr. sec. cor. post from which<br>a Hickory 14 in. dia., bears N 15 $\frac{1}{2}$ W 18 $\frac{1}{2}$ ft.,<br>& a Do. 9 " " " N 6 $\frac{1}{2}$ W 17 "   |
| 49.17          | To a Brook 8 ft. wide cor. S.E., many<br>a house about 2 or 3 chains West —  |
| 62.47          | To town corner,<br>Land h. is same as last mile,<br>Var. 7 $\frac{1}{2}$ 40 E. - February 8 <sup>th</sup> 1834, (1834)<br>Surveyed by - Robert Clarke Jr. Dep. Sur.  |

|   |  |
|---|--|
| North Boundary.   |  |
| (Var. 5 $\frac{1}{2}$ - 5 $\frac{1}{2}$ 18 + 5 $\frac{1}{2}$ 14 E.) |  |
|   | a Hickory 18 in. dia., bears N 42 W 16 $\frac{1}{2}$ ft., ditto &<br>a Do. 14 " " " S 52 $\frac{1}{2}$ E 29 " "  |
| West  | On the S. side of sec. 36 T 36 N R 4 W   |
| 8.00  | Enter a marsh - (Var 5 $\frac{1}{2}$ E.)   |
| 9.60  | To a Brook 8 ft. wide cor. South   |
| 22.50   | Leave the marsh,   |
| 25.27   | To a Y. Oak 24 in. dia., in the line,  |
| 40.00   | Set the gr. sec. cor. post from which<br>a Red Oak 10 in. dia., bears N 85 $\frac{1}{2}$ E 218 $\frac{1}{2}$ ft.,<br>& a Hickory 12 " " " N 81 W 166 " |
| 44.98   | To a Y. Oak 10 " " in the line.  |



T. 35 N. R. 4 W. 3<sup>rd</sup>. Nov. Ind<sup>a</sup>.

6.50 To a Y. Oak 16 in. dia., in the line,  
 64.16 Set a post cor. to sec. cor. 35 & 36  
 80.00 a Br. Oak 9 in. dia. bears N 31 E 50 th. dist.  
 & a W. Oak 14 " " " N 55 E W 32 " "  
 Land rolling bearing good soil well  
 timbered with Hickory, W. G. R. & Br. Oak &c.

West On the S. side of sec. 35 & 36. N 64 W  
 9.25 To a manb. - beakes & mop,  
 23.00 Leave the Do,  
 25.31 To a Y. Oak 18 in. dia., in the line,  
 27.35 To a Y. Oak 16 " " " " "  
 39.50 Enter a manb  
 40.00 Set the gr. sec. cor. post from which  
 a W. Oak 14 in. dia. bears N 66 E 71 th. dist.,  
 & a Do. 18 " " " N 2 E W 101 " "  
 53.00 Leave the manb  
 64.81 To a Hickory 5 in. dia. in the line,  
 80.00 Set a post cor. to sec. 34 & 35 from wh.,  
 a Y. Oak 16 in. dia. bears N 67 E 82 th.,  
 & a Do. 17 " " " N 69 E 32 " dist.  
 Dry land similar - manb. poor & weak

West On the S. side of sec. 34 & 36. N 64 W  
 5.00 Enter a manb  
 20.50 Leave the same,  
 40.00 Set the 2<sup>d</sup>. sec. cor. post from wh.,  
 a Br. Oak 12 in. dia. bears N 68 W 31 8<sup>th</sup>  
 & a Do. 6 " " " N 8 E E 36 "  
 48.50 Enter a manb  
 54.25 To Hog Creek 6 ths. wide cr. South  
 59.00 Leave the manb. - good grass land  
 80.00 Set a post cor. to sec. 33 & 34 fr. wh.,  
 a Br. Oak 13 in. dia. bears N 73 E 66 th.



458

T. 35 N. R. 4 W. 2<sup>nd</sup> Mer. Ind.

|  |  |
|--|--|
| Co. L.                                   | To Br. Oak 8 in. dia. bearing $N 5^{\circ} 5' W 218$ ft.,<br>Dry land similar very thinly timbered<br>with small Hickory & B. oaks &c  |
| West<br>1.00<br>40.00<br>80.00           | On the S. side of sec. 33 T 36 N R 4 W<br>Entered a dry prairie<br>Set the gr. sec. cor. sec. cor. post<br>where raise a mound in prairie<br>Set a post cor. to sec. 32 & 33. in So,<br>where raise a mound  |
| West<br>21.90<br>40.00<br>53.50<br>80.00 | On the S. side of sec. 32 T 36 N R 4 W<br>To a sac. trail cor. S. W,<br>Set the Dr. sec. cor. post in prairie<br>where raise a mound<br>To Road from Mich. city to Lafayette S W<br>Set a post cor. to sec. 31 & 32 in prairie<br>where raise a mound " So.<br>Land similar - some Hazel on W <sup>e</sup> ,   |
| West<br>24.50<br>40.00<br>69.20          | On the S. side of Sec. 31 T 36 N R 4 W<br>Entered a marsh<br>Set the gr. sec. cor. post in marsh<br>where raise a mound<br>Intersect W. boundary at 5.66.44 -<br>where set post cor. Lower 35 & 36 of Range<br>4 & 5 West. from which - no bearings<br>Raise a mound for cor. mon.<br>Dry prairie same as last - marsh wet<br>& mucky. some parts may do for mowing<br>note. Var. on 3 East miles $5^{\circ} 00' E$ - on the<br>4 <sup>th</sup> mile $5^{\circ} 08' E$ - on 5 <sup>th</sup> mile $5^{\circ} 14' E$ & yet<br>the line is straight. Feb. 21 <sup>st</sup> 1834 -<br>Surveyed by - Robert Clark Jr. Dep. Sur. |

T. 35 N. R. 4 W. 2<sup>d</sup>. New Ind.<sup>n</sup>

C. S.

## West Boundary.

Var. 6<sup>th</sup> 10<sup>th</sup>.

North On the E. side of sec. 36 T 35 N R 5 W  
 6.48 To a G. Oak 14 in. dia. in the line,  
 40.00 Set the gr. sec. cor. post from which  
 a G. Oak 20 in. dia. bears S 37<sup>1</sup>/<sub>2</sub> W 64<sup>1</sup>/<sub>2</sub> M. dist.  
 & a Br. Oak 7<sup>1</sup>/<sub>2</sub> " " " West 66 " "  
 42.34 To a Hickory 16 " " in the line,  
 80.00 Set a post cor. to sec. 25 & 36 from wh.  
 a G. Oak 18 in. dia. bears S 35<sup>1</sup>/<sub>2</sub> E 218 M. dist.  
 & a Hickory 16 " " " N 73<sup>1</sup>/<sub>2</sub> E 200 " "  
 Land here good soil. South 50. well  
 timbered, with Hickory, Br. & W. Oak &c.  
 Last 30 chs. along E. margin of marsh

North On the E. side of sec. 25 T 35 N R 5 W  
 12.00 Enter a marsh  
 40.00 Set the gr. sec. cor. post from which  
 a Br. Oak 5 in. dia. bears S 75<sup>1</sup>/<sub>2</sub> E 395 M.  
 & a Do. 8 " " " N 62<sup>1</sup>/<sub>2</sub> E 316 "  
 80.00 Set a post cor. to sec. 24 & 25 from which  
 a G. Oak 20 in. dia. bears N 38<sup>1</sup>/<sub>2</sub> W 529 M. dist.  
 & a Hickory 8 " " " N 42<sup>1</sup>/<sub>2</sub> E 438 " "  
 all marsh, not very wet. timber close over,

North On the E. side of sec. 24 T 35 N R 5 W  
 4.00 Leave the marsh  
 7.19 To a Br. Oak 10 in. dia. in the line,  
 40.00 Set the gr. sec. cor. post from which  
 a Br. Oak 6 in. dia. bears N 44<sup>1</sup>/<sub>2</sub> W 41 M. dist.  
 & a Do. 8 " " " S 50<sup>1</sup>/<sub>2</sub> W 29 " "  
 57.18 To a Br. Oak 8 " " in the line,  
 80.00 Set a post cor. to sec. 13 & 24 from wh.  
 a G. Oak 17 in. dia. bears N 18<sup>1</sup>/<sub>2</sub> W 76 M. dist.

T. 35 N. R. 4 W. 2<sup>nd</sup>. New. Ind. a

6. Le,

a W. Oak 14 in. dia. bears N 8 W 76<sup>th</sup> m. Oak,  
 & a Br. Oak 8 " " " N 74<sup>th</sup> W 370 " "  
 No. of marsh land, Br. Oak land thirty trees,

North On the E. side of sec. 13 T 35 N R 5 W  
 17.11 To a Br. Oak 12 in. dia. in the line,  
 21.00 " State road from Mich. city to Lafayette,  
 40.00 Set the 1/4 sec. cor. post from which  
 a Br. Oak 7 in. dia. bears S 84 W 119<sup>th</sup> m. Oak,  
 & a No. 10 " " " N 24 W 290 " "  
 75.30 To an Indian trail cor. S. W & E. mark  
 80.00 Set a post cor. to sec. 12 & 13 from wh.  
 a G. Oak 17 in. dia. bears S 2 1/2 W 671<sup>th</sup> m.  
 & a No. 16 " " " S 73 E 327 "  
 Land same as last mile Feb 18<sup>th</sup>,

North On the E. side of sec. 12 T 35 N R 5 W,  
 40.00 Set the 2<sup>nd</sup>. sec. cor. post in marsh  
 where raise a mound  
 80.00 Set a post cor. to sec. 1 & 2 in marsh  
 where raise a mound,  
 Land all a shaking marsh. strong  
 indications of iron ore on last or N 1/2  
 of this line. This marsh runs to the  
 Hanksaw river, in a S. E. direction  
 & is from 1 to 3 miles wide -

North On the E. side of sec. 1 T 35 N R 5 W  
 40.00 Set the 1/4 sec. cor. post in a marsh  
 where raise a mound  
 66.44 To the Lower corner;  
 all marsh. Indications of iron ore  
 on S. 2<sup>nd</sup> cor. Var. 6<sup>th</sup> 70<sup>th</sup> E. February 21<sup>st</sup> 1894  
 Surveyed by - Robert Clark Jr. Deft.,

T. 35 N. R. 4 W. 2<sup>nd</sup>. New. Ind.<sup>a</sup>

| 61 24. | Subdivisions.  |
|--------|--|
| North  | Between Sections 35 & 36.  |
| 18.50  | Enter a mark   |
| 40.00  | Set the gr. sur. cor. post in mark where raise a mound   |
| 59.00  | Leave the mark   |
| 80.00  | Set a post cor. to sec. 25, 26, 35 & 36<br>a Br. Oak 6 in. dia. bears N 12 $\frac{1}{2}$ ° W. 133 $\frac{1}{2}$ ft.,<br>& a Do. 11 " " " N 62 $\frac{1}{2}$ ° E 288 "                                |
|        | Dry land level sandy & 2 <sup>nd</sup> rate of<br>Oak banners very thinly timbered with<br>W. G. & Red Oak or Pin Oak, the<br>mark might be drained & make<br>good grass land, current of water S.E. |
| East   | On Random between sections 25 & 36   |
| 30.63  | To an Indian trail cor. NE   |
| 79.64  | To the E. line of sec. 18 $\frac{1}{2}$ ft. N. of<br>post. Land level sandy Oak banners<br>2 <sup>nd</sup> rate soil & thinly timbered with<br>small R G W & Br. Oak &c.                             |
| West   | Correct the line between sec. 25 & 36  |
| 15.82  | To a Br. Oak 8 in. dia. in the line,   |
| 39.82  | Set the gr. sur. cor. post from which<br>a Br. Oak 7 in. dia. bears N 40 $\frac{1}{2}$ ° E 14 $\frac{1}{2}$ ft.,<br>& a Do. 14 " " " S 9° W 54 "   |
| 40.98  | To a Br. Oak 10 " " in the line,   |
| 79.64  | To the section corner,   |
| North  | Between sections 25 & 26   |
| 40.00  | Set the gr. sur. cor. post from wh,<br>a Br. Oak 10 in. dia. bears N 34° E 24 $\frac{1}{2}$ ft.,<br>& a Do. 9 " " " S 74° W 11 "   |



T. 35 N. R. 4 W. S. 1<sup>st</sup> Mer. Ind. <sup>462</sup>

|       |       |  |
|-------|-------|--|
| 6.50  | 42.46 | To a Br. Oak 7 in. dia. in the line,   |
| 59.00 |       | Entered a dry prairie  |
| 80.00 |       | Set a post cor. to sec. 23, 24, 25 & 26,<br>on the E. side of a prairie<br>a Br Oak 12 in. dia. bears S 66 E 83 1/2 M.,<br>La Do. 10 " " " N 74 E 25 1/2 " " " "     |
|       |       | S. 59 ch. is a level Br. Oak plain mostly<br>good soil & poorly timbered with Br.<br>& Y Oak & some Hickory. Prairie well &<br>first rate & some Hazel brush &       |
| East  |       | On Random between sec. 24 & 25   |
| 52.00 |       | Entered a wet prairie  |
| 59.50 |       | To a Brook 3 M. wide cor. E. S. E.,  |
| 62.70 |       | To a Brook 6 " " " S. W. & leave for,  |
| 79.68 |       | Intersect E. boundary. 10 M. N. of post<br>West of prairie is a level Br. Oak Hickory<br>plain. East of prairie well timbered?<br>with W. & Y Oak. thin sandy soil & |
| West  |       | Correct the line between sec. 24 & 25  |
| 6.99  |       | To a Y. Oak 12 in. dia. in the line,   |
| 11.90 |       | To a Hickory 9 " " " " "   |
| 39.84 |       | Set the post cor. post from which<br>a Br Oak 8 in. dia. bears N 11 E 46 M.,<br>& a W. Oak 6 " " " S 22 E 12 "   |
| 79.68 |       | To the section corner,   |
| North |       | Between sections 23 & 24   |
| 35.88 |       | To a Hickory 7 in. dia. in the line  |
| 40.00 |       | Set the post cor. post from which<br>a Br. Oak 5 in. dia. bears S 63 E 63 M.,<br>& a Hickory 7 " " " N 58 E W 125,   |
| 41.00 |       | Entered a Dry prairie,   |



T. 35 N. R. 4 W. 2<sup>nd</sup> Sec. 34<sup>th</sup>

6.00 To Campbell's house 250 M. E.,  
 44.00 Leave the prairie  
 57.00 Set a post cor. to sec. 13, 14, 23 & 24  
 80.00 a Br. Oak 15 in. dia. bears S 77° W 71 M.,  
 & a Br. 16 " " " N 65° E W 48 "  
 Land mostly good Br. Oak & Hickory bearing  
 good soil thin timbered. March 10. 1834

East On Random between sec. 13 & 24  
 1.50 Entered a marsh  
 6.50 Leave the Do. water runs S. E.,  
 17.00 Entered a marsh  
 25.00 Leave the Do.,  
 80.16 To the E. line of sec. 8 the cor. of post,  
 Land level bearing good soil &  
 mostly well timbered. with Oak & Hickory.

West Correct the line between sec. 13 & 24  
 9.36 To a Br Oak 9 in. dia. in the line  
 19.93 To a Br. Oak 8 " " " " "  
 40.08 Set the gr. sec. cor. post from which  
 a W. Oak 16 in. dia. bears N 83° W 13 M.,  
 & a Br. 16 " " " " S 2° W 24 " dia.  
 80.16 To the section corner,

North Between sections 13 & 14  
 1.50 Entered a marsh  
 17.50 Leave the Do.,  
 20.25 To a W. Oak 8 in. dia. in the line,  
 40.00 Set the gr. sec. cor. post from which  
 a Br. Oak 5 in. dia. bears S 36° E 25 M. dia.  
 & a Br. 13 " " " " S 28° E W 62 "  
 52.60 To a Br. Oak 14 " " in the line,  
 65.38 " " Do. 9 " " " " "

P. M. 1834

464

S. 35 N. R. 4 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

C. L.

80.00 Set post cor. to sec. 11. 12. 13 & 14,  
a Hickory 15 in. dia. bears S 16° W 17 ft.,  
+ a Do. 15 " " " S 71½° E 42 ft.  
Land is same as on last mile

East On Random between sec. 12 & 13.

16.00 Enter a marsh

20.00 Leave the Do.

44.50 Enter a Do.

48.00 Leave the Do.

60.50 Enter a Do.

80.02 To the E. boundy. of sec. 1 (the N. of post)  
Dry land level tree? note banners well  
timbered with W & 2 Oak &c.

West Correct the line between sec. 12 & 13.

40.07 Set the gr. sec. cor. post from which  
a W. Oak 7 in. dia. bears N 79° E 22 ft.,  
+ a G. Oak 16 " " " S 56° W 35 "

40.89 To a G. Oak 15 " " in the line.

80.02 To the section corner.

North Between sections 11 & 12

16.35 To a Hickory 13 in. dia. in the line.

22.79 " " Br. Oak 8 " " " " "

40.00 Set the gr. sec. cor. from which  
a Br. Oak 13 in. dia. bears S 33½° W 163 ft. dia.  
+ a Hickory 6 " " " S 74° E 13 " "

45.00 Enter a pond

56.50 Leave the do.

57.50 To where I see Robinson's house W. 20 ch.

57.13 To a W. Oak 16 in. dia. in the line

75.26 " " G. Oak 18 " " " " "

80.00 Set a post cor. to sec. 1, 2, 11 & 12 from wh.

T. 35 N. R. 4 W. 2<sup>nd</sup> Nov. Ind.

|  |  |
|--|--|
| C. L.<br>2   | a W. Oak 14 in. dia. bears S 15 7/8 W 93 1/2 M.,<br>4 a Do. 15 " " " N 44 E 52 "<br>Land S. of pond level 1 <sup>st</sup> rate Br. Oak<br>barren. N of Do. level well timbered<br>with W & Y Oak - 2 <sup>nd</sup> rate soil,  |
| East<br>18.00<br>25.00<br>80.10                    | On Random between sections 1 & 2<br>Enter a marsh Var. 5° 35' E,<br>Leave the Do.<br>To the E line of sec. 36 M. N. of pond<br>Dry land on W 1/2 & W. & Y. Oak bearing<br>2 <sup>nd</sup> rate, & well timbered E 1/2 level 1 <sup>st</sup><br>Br. Oak bearing   |
| West<br>14.65<br>40.05<br>49.55<br>80.10           | Correct the line between secs. 1 & 2<br>To a Br. Oak 15 in. dia. in the line.<br>Set the gr. sur. cor. post from which<br>a Y. Oak 18 in. dia. bears S 51 1/2 W 29 M.,<br>4 a Do. 18 " " " N 58 E 9 "<br>To a Do. 18 " " in the line,<br>To the sections corner,   |
| North<br>32.00<br>40.00<br>48.50<br>58.35<br>62.83 | Between sections 1 & 2 Var. 7° 30' E,<br>Enter a wet prairie<br>Set the gr. sur. cor. post from which<br>a Y. Oak 20 in. dia. bears S 1 1/5 W 91 1/2 M. dia.,<br>4 a Do. 12 " " " N 4 1/2 E 87 1/2 "<br>Leave the wet prairie<br>To a Hickory 15 in. dia. in the line.<br>To the N. boundary. 31 M. W. of post<br>where set post Cor. to Sec. 1 & 2 from wh<br>a Br. Oak 12 in. dia. bears S 38 1/2 E 63 M. dia.,<br>4 a W. Oak 18 " " " N 4 1/2 W 60 " "<br>dry land level bearing Hick & Oak. Marsh 13 <sup>th</sup> |

T. 35 N. R. 4 W. 2<sup>nd</sup> Mer. Ind.

|                |  |
|----------------|--|
| 6.50<br>North  | Between sections 34 & 35   |
| 10.00<br>40.00 | To an Indian trail cr. SW,<br>Set a gr. sur. cor. post in bog prairie<br>Where raise a mound,  |
| 70.00          | Enter a wet prairie,   |
| 80.00          | Set a post cor. to sec. 26, 27, 34 & 35<br>in wet prairie - where raise a mound<br>The dry land is level & 2 <sup>nd</sup> rate prairie<br>wet prairie, is only wet in wet weather |
| East           | On Random between sec. 26 & 35   |
| 24.50          | Leave <sup>wet</sup> & Enter dry prairie (Val. 5 <sup>th</sup> 15 <sup>th</sup> E.)  |
| 50.00          | Enter wet prairie  |
| 72.00          | Leave do. & Enter bog  |
| 79.80          | To the E. line of sec. at post,<br>Dry prairie same as last in wet prairie,<br>the water has a current to the S.E.,  |
| West           | Correct the line between sec. 26 & 35  |
| 39.90          | Set the gr. sur. cor. post from which<br>a Hickory 13 in dia. bears N 75° E 492 ft. dist,<br>& where raise a mound,  |
| 79.80          | To the sections corner,  |
| North          | Between sections 26 & 27 <span style="float: right;">Val. 7<sup>th</sup> 20<sup>th</sup> E.</span>   |
| 18.00          | Leave the wet & Enter a Dry prairie  |
| 40.00          | Set the gr. sur. cor. post in the do.<br>a Br. Oak 10 in dia. bears S 80° E 444 ft.,<br>a do. 7 " " " N 70° E 455 ft.<br>& raise a small mound,                                    |
| 80.00          | Set a post cor. to sec. 22, 23, 26 & 27,<br>where raise a mound<br>Dry land level & 2 <sup>nd</sup> rate prairie<br>wet prairie similar to last mile,                              |



T. 35 N. R. 4 W. 2<sup>nd</sup> Mer. Ind.

|       |       |  |
|-------|-------|--|
| 6.50  | East  | On Random between sec. 23 & 26. Var 5° 45' E.  |
| 16.50 |       | Leave dry & enter wet prairie  |
| 30.50 |       | Leave wet & enter dry do,  |
| 79.88 |       | To the E. boundary, 28 <sup>th</sup> N. of post, Land similar - There is but about one or two feet difference in the elevation of the wet & dry parts of Moq prairie |
| 39.94 | West  | Correct the line between sec. 23 & 26. Set the gr. sec. cor. post in prairie where raise a mound   |
| 79.88 |       | To the section corner,   |
| 37.75 | North | Between sections 22 & 23. Var 7° 53' E.  |
| 40.00 |       | To an Indian trail cor. NE.  |
| 45.00 |       | Set the gr. sec. cor. post from which a Hickory 3 in dia. bears N 13 1/2° W 183 <sup>th</sup> & a Do. 9 " " " N 39 1/4° E 294 "                                      |
| 52.25 |       | Leave prairie  |
| 57.20 |       | To a Hickory 14 in dia. in the line,   |
| 69.00 |       | Entered a marsh  |
| 75.28 |       | Leave the do.  |
| 80.00 |       | To a Hickory 15 in dia. in the line, set a post cor. to sec. 14, 15, 22 & 23   |
|       |       | a Hickory 14 in dia. bears S 8° W 42 <sup>th</sup> N. dist, & a Do. 13 " " " N 53° E 21 " "  |
|       |       | prairie similar, dry land from prairie level Hickory bears N of marsh well timbered  |
| 14.00 | East  | On Random between sec. 14 & 23, (Var. 5° 55' E.)   |
| 22.50 |       | Entered a wet prairie  |
| 80.23 |       | Leave the a do.  |
|       |       | To the E. boundary, 17 <sup>th</sup> N. of post. Land level bearing, good soil very thinly timbered  |



468

T. 35 N. R. 4 W. 2<sup>d</sup> Mer. Ind. a

Co. Sec with Br. G. Oak & Hickory

West Correct the line between sec. 14 & 23  
 40.11 ± Set the gr. sec. cor. post from which  
 a Br. Oak 7 in. dia. bears N 70° W 80 M,  
 & a Do. 8 " " " S 32° 4' W 48 "  
 80.23 To the section corner. Mark 11<sup>th</sup> 1834

North Between sections 14 & 15 Var. 7° 25' E,  
 40.00 Set the gr. sec. cor. post from which  
 a Hickory 14 in. dia. bears N 22° E 13 M. int,  
 & a G. Oak 13 " " " N 9° E W 35 " "  
 58.39 To a Br. Oak 7 " " in the line,  
 65.12 " " Hickory 10 " " " "  
 80.00 Set a post cor. to sec. 10. 11. 14 & 15  
 a Br. Oak 10 in. dia. bears S 42° E 61 M,  
 & a Do. 11 " " " N 64° E 41 " dia,  
 Land well bearing good soil well  
 timbered with Hickory Br. & G. Oak &c

East On Random between sec. 11 & 14,  
 79.85 To the E. line of sec. 12 M. N. of post,  
 Land &c same &c. (Var. 5° 45' E.)

West Correct the line between sec. 11 & 14  
 11.22 To a G. Oak 18 in. dia. in the line,  
 39.92 ± Set the Dr. Sec. cor. post from which  
 a W. Oak 16 in. dia. bears N 60° 4' E 46 M,  
 & a G. Oak 15 " " " S 12° W 48 " int  
 56.43 To a Br. Oak 13 in. dia. in the line,  
 79.85 To the section corner,

North Between sections 10 & 11. Var. 9° 35' E,  
 30.23 To a Hickory 13 in. dia. in the line

T. 35 N. R. 4 W. 2<sup>nd</sup>. Mer. Ind.

|                |  |
|----------------|--|
| 6. L,<br>40.00 | Set a gp. sec. cor. post from which<br>a G. Oak 10 in. dia. bears S 68° W 34 <sup>1</sup> / <sub>2</sub> M. dist,<br>+ a No. 14 " " " S 34° E 64 " "   |
| 48.79          | To a G. Oak 16 " " in the line,  |
| 66.94          | " a Br. Oak 12 in. dia. in the line,   |
| 80.00          | Set a post cor. to sec. 2, 3, 10. & 11 from wh.<br>a Br. Oak 12 in. dia. bears S 68° 4 M.,<br>+ a No. 6 " " " S 84° W 10 "<br>On South 30 & N. 20 ch. & run same to,<br>Rear; then G Oak bears March 12,                               |
| East           | On Random between sec. 2 & 11. V. 5. 45° E,  |
| 49.00          | Enter a marsh  |
| 62.50          | Leave the Do,  |
| 63.50          | Jones' house stands 250 M. S,  |
| 79.85          | To the E. boundary. 4 M. S of post<br>W <sup>1</sup> / <sub>2</sub> is very thickly timbered with Br. Oak<br>barns. level & 2 <sup>nd</sup> rate & the E <sup>1</sup> / <sub>2</sub> is greatly<br>rolling. G & W. Oak & well timbered |
| West           | Correct the line between sec. 2 & 11   |
| 39.22          | To a Hickory 11 in. dia. in the line,  |
| 39.922         | Set the gp. sec. cor. post from which<br>a G. Oak 9 in. dia. bears S 64° 24' E 58 M.,<br>+ a Hickory 13 " " " N 6° W 9 " dist,   |
| 49.85          | To the section corner,   |
| North          | Between sections 2 & 3. V. 7. 30° E  |
| 40.00          | Set the 3 <sup>rd</sup> sec. cor. post from wh.<br>a Br. Oak 13 in. dia. bears N 34° 5' W 102.8 M.,<br>+ a G. Oak 19 " " " N 45° 3' E 74.1 "   |
| 63.93          | To the N. boundary. 15 M. W. of post,<br>where set post cor. to sec. 2 & 3,<br>a G Oak 24 in. dia. bears S 15° W 69 M. dist.   |

T. 35 N. R. 4 W. 2<sup>nd</sup>. New Ind<sup>a</sup>, 470

6.12.1

& a Br Oak 16 in. dia. bears S 72 E 45 M,  
Land level & almost prairie, no large  
timber - some small Br Oak bushes  
good soil. March 13<sup>th</sup> 1834. -

North Between sections 33 & 34  
40.00 Set gr. sec. cor. post in bog prairie  
80.00 Set a post cor. to sec. 27, 28, 33 & 34 -  
a Br Oak 15 in. dia. bears N 14 1/2 W 6 1/4 M,  
& where raise a mound,  
This mile is all a level prairie, 2<sup>nd</sup>,  
rate soil & some parts at this time wet

East On Random between sections 27 & 34  
76.00 Leave dry & enter wet prairie N. 5 1/2 E 5 E,  
79.75 To the E. line of sec. 8 M. N. of post  
Land &c. is similar to last mile,

West Correct the line between sec. 27 & 34  
39.97 1/2 Set the gr. sec. cor. post from which  
no bearings - raise a mound  
79.93 To the Sections corner,

North Between sections 27 & 28. Var. 9 1/2 40 E,  
32.00 Enter a marsh  
40.00 Set the 2<sup>nd</sup> sec. cor. in marsh for wh.  
no bearings - water too deep to raise a mound  
63.00 Leave the marsh & enter barrens  
65.12 To a Hickory 8 in. dia. in the line,  
74.50 " an Indian trail cr. N. E.  
80.00 Set a post cor. to sec. 21, 22, 27 & 28,  
a Hickory 14 in. dia. bears N 1/4 W 1/4 M. 1/2 N. 1/2 E,  
& a Do. 14 " " " N 58 1/2 W 58 1/4 "  
South of marsh land is similar to last

T. 35 N. R. 4 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

|        |  |
|--------|--|
| Co. L. | Except a few scattering trees. N. of marsh, level Hickory & Oak plain good soil  |
| East   | On Random between sections 22 & 29   |
| 13.20  | To an Indian trail on NE,  |
| 20.00  | To Hog prairie (Var. 5° 45' E.)  |
| 28.00  | prairie becomes wet  |
| 37.50  | The Do. " dry  |
| 79.74  | To the E. line of sec. 3 N. of post<br>Lumbered land & prairie similar to last   |
| Wab    | Correct the line between Sec. 22 & 29  |
| 39.87  | Set the 2 <sup>nd</sup> sec. cor. post from which no bearings - but raise a mound  |
| 73.61  | To a Hickory 13 in dia. in the line,   |
| 78.74  | " " Br. Oak 12 " " " "   |
| 79.74  | To the section's corner,   |
| North  | Between sections 21 & 22 Var. 8° 00' E.  |
| 10.00  | Enter a marsh  |
| 17.00  | Leave the Do.  |
| 40.00  | Set the gr. sec. cor. post from which<br>a Br. Oak 14 in dia. bears N 65 1/4 W 46 M,<br>to Do. 10 " " " S 55 E 43 "  |
| 51.96  | To a Hickory 10 " " in the line,   |
| 74.04  | " " Do. 12 " " " "   |
| 80.00  | Set a post cor. to sec. 15, 16, 21 & 22,<br>a W Oak 5 in dia. bears S 45 1/2 W 12 M,<br>to Hickory 11 " " " N 55 1/2 - 41 "<br>Land level bearing good soil & the<br>timber is Hickory, Br. & W. Oak & |
| East   | On Random between sec. 15 & 22   |
| 46.00  | To an arm of Hog prairie. V. 5° 45' E.   |



442

T. 35 N. R. 4 W. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

E. L.  
65.50 Leave the Arm of Hog prairie  
79.72 To the E. boundary of sec. 10 th. ct. of post  
The timbered land same as last mile  
Prairie level dry & 9<sup>th</sup> rate —

Met  
14.10 Correct the line between sec. 15 & 22  
To a Hickory 12 in dia. in the line,  
39.86 Set the gr. sec. cor. post from which  
a Hickory 9 in dia. bears N 42 E 44 th. dist.,  
& a G. Oak 14 " " " S 40 W 84 " "  
46.98 To a Hickory 13 in dia. in the line,  
79.72 To the Section Corner, Mark 12<sup>th</sup>

North  
35.50 Between sections 15 & 16 Var 5<sup>th</sup> 40 E,  
Enter a wet prairie  
40.00 Set the gr. sec. cor. post from which  
a Hickory 13 in dia. bears N 45 E 36 th.,  
& a Br. Oak 7 " " " N 80 E 33 "  
49.82 To Hog creek 15 th. wide cr. S. W. (clear-  
53.60 " Do. " 15 " " " D. E (=durable)  
54.25 " Same cr. S. W. (water sandy bottom)  
75.00 Leave the wet prairie —  
80.00 Set a post cor. to sec. 9, 10, 15 & 16 fr. wh.  
a Br. Oak 6 in dia. bears N 57 E 193 th.,  
& a G. Oak 7 " " " S 70 E 276 "  
South of prairie land & timber same as last  
Prairie is good for grass.

East  
1.50 On Rand om between sec. 10 & 15  
Enter wet prairie. Var. 5<sup>th</sup> 40 E,  
3.25 To Hog creek 12 th. wide cr. S. W.,  
12.50 Leave prairie  
79.98 To the E. line of sec. 18 th. S. of post  
E. of prairie level good farming &



T. 35 N. R. 4 W. 3<sup>rd</sup> Mer. Ind.

C. S. the timber is Hickory B. Y. Oak &c

West Correct the line between sec. 10 & 15  
 4.12 To a Hickory 12 in. dia. in the line  
 39.99 Set the gr. sec. cor. post from which  
     a Br. Oak 13 in. dia. bears N 5 1/2 E 39 1/2 M.  
     & a Do. 13 " " " S 20 1/4 W 128 "  
 79.98 To the sections corner,

North Between Section 9 & 10. Var. 75° 35' E,  
 28.27 To a Br. Oak 7 in. dia. in the line,  
 40.07 Set the gr. sec. cor. post from which  
     a Br. Oak 8 in. dia. bears N 43 1/2 W 242 M.  
     & a Do. 8 " " " S 89 1/4 W 182 "  
 76.12 To a Br. Oak 3 " " in the line,  
 80.07 Set a post cor. to sec. 3, 4, 9 & 10 -  
     a Br. Oak 7 in. dia. bears N 8 1/2 W 59 1/2 M. dia.  
     & a Do. 7 " " " S 67 E 99 " "  
 Land level barrens good soil very thin  
 ly timbered with small Br. Oaks -

East On Random between sec. 3 & 10  
 9.00 Enter a marsh (Var. 55° 45' E.)  
 15.00 Leave the Do. & Enter wet prairie  
 22.65 To Hog creek 8 M. wide on South,  
 50.50 Leave wet prairie  
 79.77 To the E. line of sec. at post -  
 Dry land level barrens very level  
 thinly timbered with Br. & some E. Oak  
 Prairie some parts too wet for grass,

West Correct the line between sec 3 & 10  
 39.88 1/2 Set the gr. sec. cor. post from which  
     no bearings. But Ran a mound

T. 35 N. R. 4 W. 2<sup>nd</sup> Mer. Ind<sup>a</sup>.

474

C. L.  
79.77 To the section corner,

North Between sections 32 & 34. Var. 7°40'E,  
40.00 Set the gr. sec. cor. post from which  
a Br. Oak 8 in. dia. bears S 20°W 13 M.,  
La Do. 6 " " " N 73°W 58"  
41.90 To a Br. Oak 6 " " in the line,  
53.00 Enter a marsh  
57.50 Leave the Do.,  
64.73 To the N. boundary, 46 M. E. of post,  
where set a post cor. to sec. 34  
a Br. Oak 8 in. dia. bears S 34°E W 46 M.,  
La Do. 8 " " " S 21°E 31 " dist.  
Land gently rolling bare, very thickly  
timbered with small Br. Oaks. Marshes 13<sup>th</sup>.

North Between sections 32 & 33. Var. 7°40'E,  
40.00 Set the gr. sec. cor. post in wet prairie  
where raise a mound  
56.00 Leave wet & Enter a dry prairie  
80.00 Set a post cor. to sec. 28, 29, 32 & 33  
in prairie, where raise a mound,  
South 56 chs, wet prairie poor soil - N,  
24 chs, level & 2<sup>nd</sup> rate dry prairie

East On Random between sec. 28 & 33.  
12.50 Enter a marsh V. 5°50'E,  
25.00 Leave the Do. & Enter prairie wet  
75.00 Enter dry prairie  
80.00 To the E. boundary, of sec. 10 M. S. of post,  
prairie same as last & marsh covered  
in places with 3 ft. water,

West Correct the line between sec. 28 & 33

T. 35 N. R. 4 W. 3<sup>rd</sup> New Ind.

6. 4  
40.00<sup>1/2</sup> Set the gr. sec. cor. post from which  
no bearings - in prairie. raise mound  
80.01 To the section corner,

## North Between sections 28 &amp; 29 Var 7° 40' E

5.00 Enter a mark  
18.50 Leave Do. & Enter barrens  
34.70 To a Hickory 13 in dia. in the line  
40.00 Set the gr. sec. cor. post from which  
a G. Oak 18 in dia. bears S 67° E 104<sup>1/2</sup> M.,  
to a W. Oak 20 " " " N 56° E W 121 in dia.  
54.20 To an Indian trail cor. S. W  
58.97 " a Red Oak 20 in dia. in the line  
60.50 " Hog creek bottom, wet prairie  
65.28 " Hog creek 18 M. wide cor. S. W,  
74.00 Leave bottom  
80.00 Set a post cor. to sec. 20-21-28 & 29  
a G. Oak 9 in dia. bears N 67° E W 131 M.,  
to Do. 11 " " " S 88° E W 315 "  
Land timbered park land thinly timbered  
with barrens, good soil, Hickory & W. G.  
Oak - creek bottom, a good mowing meadow

East On Random between sec. 28 & 28,  
2.50 To creek bottom, Var. 5° 47' E.  
7.80 To Hog creek 18 M. wide cor. S. W,  
12.50 Leave bottom, prairie wet  
80.45 To the E. boundary, 5 M. S. of post,  
Land &c is same as last mile.

West Correct the line between sec. 28 & 28,  
93 To a G. Oak 12 in dia. in the line,  
40.22<sup>1/2</sup> Set the gr. sec. cor. post from which  
a W. Oak 14 in dia. bears N 84° E 42 M. dia.

T. 35 N. R. 4 W. 3<sup>rd</sup> Mer. Ind<sup>a</sup>

476

61.20 a Hickory 10 in dia. bears  $N 7 \frac{1}{2} E 17$  lbs.  
80.45 To the Section corner,

North Between sections 20 & 21 Var.  $7 \frac{1}{2} 40 E$

11.53 To an Indian trail on. NE,

16.96 To a Hickory 18 in dia. in the line,

32.02 To a Br. Oak 10 " " " "

38.50 Enter a marsh

40.00 Set the gr. sec. cor. post in marsh

a Br. Oak 8 in dia. bears  $N 32 \frac{1}{2} W 214$  lbs.

4 a Y. Oak 10 " " "  $N 33 \frac{1}{2} E 279$  "

44.50 Leave the marsh

44.39 To a Br. Oak 13 in dia. in the line,

44.79 " " Do. 13 " " " "

49.20 " an Indian trail on. ENE

80.00 Set a post on. to sec. 16 & 21 -

a Br. Oak 11 in dia. bears  $N 22 \frac{3}{4} W 204$  lbs.

4 a No. 9 " " "  $N 71 \frac{1}{2} E 165$  "

Land is similar to last mile,

East On Random between Sec. 16 & 21

20.00 Enter a dry prairie

35.00 Leave the Do.

49.00 To Hog creek bottom, wet prairie

55.75 " Hog creek 18 lbs. wide on. S. W.

59.50 Leave bottom

79.95 To the E. line of sec. 18 lbs. S. of post,

Dry prairie 1<sup>st</sup> rate, wet do. a good  
mowing meadow. W. of creek, ex. prairie

very thickly timbered with small Br.  
Oaks & Hickories. E. of Creek timber large  
some good trees W. Br. & Y. Oak

West Correct the line between sec. 16 & 21



T. 35 N. R. 4 W. 3<sup>rd</sup>. Mon. Ind.

Co. L,  
39.97½ Set the gr. sec. cor. post from which  
a Br. Oak 9 in. diam. bears N 2 W 1/2 M,  
4 in. Do, 8 " " " S 1/4 E 1/4 "  
79.95 To the section corner,

North Between sections 16 & 17,  
26.00 Enter a Dry prairie  
40.00 Set the gr. sec. cor. post in prairie  
where raise a mound,  
80.00 Set a post cor. to sec. 8, 9, 16 & 17,  
in prairie where raise a mound  
South of prairie land level & thinly  
timbered Br. Oak barrens. The prairie  
is gently rolling 1<sup>st</sup> rate soil - this is  
a part of the celebrated Laporte or Dove  
prairie -

East On Random between sec. 9 & 10  
63.00 Leave the prairie N. 5° 45' E,  
80.00 To the E. line of sec. 15 th. S. of  
post. Land similar to last mile,  
both prairie & timbered? part

West Correct the line between sec 9 & 16  
40.00 Set the gr. sec. cor. post in prairie  
where raise a mound  
80.00 To the Section corner, March 14<sup>th</sup>

North Between sections 8 & 9. N. 7° 45' E,  
40.00 Set the gr. sec. cor. post in prairie  
where raise a mound in Do,  
Land all gently rolling 1<sup>st</sup> rate prairie  
80.00 Set a post cor. to sec. 4, 5, 8 & 9 in Do,  
East - where raise a mound, Land same,

478

T. 35 N. R. 4 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

Co. L, East V. 57.45 E,  
 6.12 On Random between sec. 4 & 9  
 73.50 To an Indian trail cr. S. W,  
 80.04 Leave the prairie & cut small timber,  
 To the E. line of sec. 10 th. S. of post,  
 Prairie same as on last mile

West Correct the line between sec. 4 & 9  
 40.02 Set the q. sec. cor. post from which  
 no bearings. & Raise a mound  
 80.04 To the section corner,

North Between sections 4 & 5. Var. 7.50 E,  
 40.00 Set the 2. sec. cor. in prairie  
 where raise a mound,  
 65.75 To the N. boundary, at post,  
 Land similar all first rate  
 prairie. March 16<sup>th</sup> 1834. -

North Between sections 31 & 32 V. 7.40 E,  
 12.17 To a Br. Oak 10 in dia. in the line,  
 40.00 Set the q. sec. cor. post from which  
 no bearings but ~~Raise a mound~~  
 a Br. Oak 14 in. dia. bears N 52 E 40  
 & a Do. 12 " " " S 25 E W 15 th.  
 50.42 To a Br. Oak 11 " " in the line,  
 80.00 Set a post cor. to sec. 30 & 31. 29 & 32,  
 a Br. Oak 14 in dia. bears N 58 E W 74 th.  
 & a Do. 8 " " " S 84 E W 79 "  
 Land level bearing good soil thinly  
 timbered with Br. Oak & Hickory &c.

East On Random between sec. 29 & 32  
 23.00 Enter heavy prairie  
 36.00 To creek bottom set prairie

T. 35 N. R. 4 W. 2<sup>nd</sup>. New. Ind<sup>a</sup>

Co. L,  
 40.50 To a Brook 3 lks. wide on. S. E,  
 51.55 To Hog creek 20 lks. wide on. S. W.  
 This stream has a brisk current, sandy  
 bottom, & hard, though wet banks, then  
 remarks apply to it through the whole  
 township.  
 55.00 Leave bottom, on a sandy ridge,  
 68.00 Entered a marsh  
 72.00 Leave the do, & enter the dry prairie  
 80.45 To the E. boundary, of sec. 8 lks. S. of path  
 W. of creek dry & part good soil & very  
 thrively timbered with Br. Oak & Hickory  
 & prairie. E of creek broken prairie,

West Correct the line between sec. 29 & 32  
 40.22½ Set the gr. sec. cor. post from which  
 in wet prairie from which a  
 2 Oak bears N 27½ E 11.15 lks. dist,  
 & no other (given)  
 80.45 To the section corner,

West On Kandon between sec. 30 & 31  
 23.90 To an Indian trail on. S. W  
 26.00 Enter a marsh W. 5. 50 E  
 27.00 Leave the do  
 79.60 To the W. boundary, 18 lks. S. of post  
 Land is good soil & thrively timbered  
 with Br. Oak & Hickory &c

East Correct the line between sec. 30 & 31  
 39.60 Set the gr. sec. cor. post from which  
 a Br. Oak 9 in. dia, bears N 25 W 20 lks.,  
 & a do. 10 " " " S 75 W 49 "  
 54.72 To a 2 Oak 18 in. dia in the line

T. 35 N. R. 14 W. 3<sup>rd</sup> Mer. Ind?

480

61.61  
19.60

To the section corner,  
Sec. cor. on Town line - to wit;  
a S. Oak 18 in dia. bears S 35 E 218 M,  
La Hickory 16 " " N 73 1/2 E 201 "

North Between sections 29 & 30. N. 77 30' E,  
13.51 To a Br. Oak 14 in dia in the line,  
17.45 " an Indian trail cor. S. W.

40.00 Set the gr. reg. cor. post from wh.  
a Br. Oak 10 in dia. bears N 23 W 40 M,  
La Hickory 16 " " N 82 E 13 " Oak,

46.23 To a Hickory 18 " " in the line,

50.00 Set a post cor. to sec. 19, 20, 29 & 30,  
a Hickory 14 in dia. bears S 2 E 24 M,  
La Do. 12 " " N 80 E W 145 "

Land &c. is similar & the timber is  
mostly Hickory &c

East On Random between sec. 20 & 29

3.25 To an Indian trail cor. W. S. W.

13.50 Enter a marsh (V. 57 45' E.)

23.00 Leave the Do.

80.19 To the E. boundy. 17 M. S. of post,  
Land &c. is same as last mile,  
& the timber is S. Oak & Hickory &c.

West Correct the line between sec. 20 & 29

40.09 1/2 Set the gr. reg. cor. post from which  
a S. Oak 13 in dia. bears N 52 E 250 M,  
La Do. 15 " " S 20 E 257 "

80.19 To the section corner,

West On Random between sec. 19 & 30

14.00 Enter a marsh V. 57 40' E.



T. 35 N. R. 4 W. 2<sup>nd</sup> Mer. Ind.<sup>th</sup>

Co. S.  
 24.00 Leave the mark  
 74.00 To great crooked creek mark  
 77.63 " the E. boundary, 19 M. S. of post,  
 Land &c. same as on last mile,

West Correct the line between sec. 19 & 20  
 " Br. Oak 9 in. dia. bears S 84° 30' E 565 M.,  
 " Do. 9 " " " N 41° E —  
 20.27 " a Br. Oak 11 " " in the line,  
 37.63 set the gr. sur. cor. post from which  
 " Hickory 14 in. dia. bears N 71° 30' W 59 M.,  
 " a Br. Oak 5 " " " S 57° 45' E 130 "  
 77.63 To the section corner,

North Between sections 19 & 20, N. 77° 40' E,  
 5.65 To a Hickory 15 in. dia. in the line,  
 18.31 " " Do. 14 " " " " "  
 40.00 set the gr. sur. cor. post from which  
 " Br. Oak 10 in. dia. bears N 26° 45' E 91 M.,  
 " a Br. Oak 24 " " " " N 64° 45' W 218 "  
 61.03 To a Br. Oak 9 " " in the line  
 88.00 set a post cor. to sec. 17, 18, 19 & 20  
 " Br. Oak 9 in. dia. bears N 53° 45' E 42 M.,  
 " a Do. 6 " " " " S 86° 45' E 33 "  
 Land &c. is same as on last mile,

East On Random between sec. 19 & 20,  
 1.00 Enter a Dry prairie  
 20.00 Leave the Do.  
 32.00 Enter a Do. again  
 61.00 Leave the Do. "  
 80.13 To the E. line of sec. 13 M. S. of  
 post, Land &c. good soil &  
 the prairie part rather low & the

482

T. 35 N. R. 4 W. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

4. L. Timbered part, thinly timbered with Br. Oak & Hickory mostly.

West Correct the line between sec. 17 & 20  
40.00<sup>2</sup> Set the gr. sec. cor. post from which  
a G. Oak 22 in. dia. bears N 18<sup>1</sup>/<sub>2</sub> E 70<sup>1</sup>/<sub>4</sub> ft.  
& a Do. 18 " " " S 34<sup>1</sup>/<sub>4</sub> E 172 "  
80.13 Sections corner,

West On Random between sec. 18 & 19  
20.00 Enter prairie  
40.00 Leave the Do.  
67.00 Enter a Do.  
72.00 Leave the Do.  
75.81 To the W. boundary, 25<sup>1</sup>/<sub>2</sub> m. S. of post,  
Land &c. is similar to last mile,

East Correct the line between sec. 18 & 19  
a G. Oak 20 in. dia. bears S 43 E 10 m. S. of post,  
& a W. Oak 16 " " " N 42 E 258 "  
35.81 Set the gr. sec. cor. post on true line,  
a Br. Oak 5 in. dia. bears N 79<sup>3</sup>/<sub>4</sub> W 44<sup>1</sup>/<sub>4</sub> ft.  
& a Do. 4 " " " S 30<sup>3</sup>/<sub>4</sub> W 90 "  
75.81 To the sections corner,

North Between sections 17 & 18,  
18.00 Enter a dry prairie  
34.00 Leave the Do. —  
38.33 <sup>1</sup>/<sub>2</sub> a Hickory 17 in. dia. in the line,  
40.00 Set the gr. sec. cor. post from which  
a Hickory 17 in. dia. bears N 69<sup>3</sup>/<sub>4</sub> W 19<sup>1</sup>/<sub>4</sub> ft.  
& a Br. Oak 5 " " " S 86<sup>3</sup>/<sub>4</sub> E 76 "  
71.50 Enter a dry prairie  
80.00 Set a post cor. to sec. 7, 8, 17 & 18,

T. 35 N. R. 4 W. 2<sup>nd</sup> Mer. Ind.

|  |  |
|--|--|
| 6. S.                                    | in prairie, where raise a mound,<br>Land similar. prairie 1 <sup>st</sup> rate & the<br>timber is thin & small. Br. Oak & Hickory  |
| East<br>20.00<br>33.00<br>80.00          | On Random between sec. 8 & 17<br>Leave the prairie<br>Enter a Do. again<br>To the Co. boundary, 26 ths. S. of post,<br>Land &c. is same as last mile,  |
| West<br>40.00<br>80.00                   | Correct the line between sec. 8 & 17<br>Set the gr. sec. cor. post from which<br>in prairie, where raise a mound,<br>To the section corner,  |
| West<br>40.25<br>55.00<br>71.50<br>73.92 | On Random between sec. 7 & 18,<br>To state road from Mich. city to Lafayette Ky.<br>Leave the prairie<br>Enter a marsh (great crooked marsh)<br>To the W. boundary, 40 ths. South of post<br>Land &c. is same as last mile,  |
| East<br>33.92<br>73.92                   | Correct the line between sec. 7 & 18,<br>a G. Oak 17 in. dia. bearing $N 73 \frac{3}{4}^{\circ} E$ , 328 ths.,<br>& a Do. 18 " " " " $N 73 \frac{3}{4}^{\circ} E$ 4476 "<br>Set the gr. sec. cor. post from which<br>no bearings - raise a mound -<br>To the section corner, |
| North<br>40.00<br>80.00                  | Between sections 7 & 8, Var. $7^{\circ} 40' E$ ,<br>Set the 2 <sup>nd</sup> sec. cor. post in prairie,<br>where raise a mound,<br>Set a post cor. to sec. 5, 6, 7 & 8,<br>in prairie where raise a mound,  |

T. 35 N. R. 4 W. 2<sup>nd</sup> Mer. 2<sup>nd</sup> a

C. L. Land all first rate dry prairie

East On Random between sections 5 & 8  
80.03 To the E. line of sec. 13 1/4 S. of post  
Land &c. is same as on last mile,

West Correct the line between sec. 5 & 8,  
40.01 1/2 Set the gr. sec. cor. post in prairie  
where raise a mound  
80.03 To the section corner,  
March 18<sup>th</sup> 1834 —

West On Random between sec. 6 & 7  
2.50 To state road from Meah. city to  
Lafayette cor. S. S. W.  
30.00 Leave the prairie  
43.00 To Great crooked creek & back,  
71.69 To the W. boundary, 61 1/4 S. of post,  
Land dry prairie same as last from  
prairie to marsh - 2<sup>nd</sup> rate & thereby timber,  
with Br. Oak bearing &c

East Correct the line between sec. 6 & 7  
29.92 To a W. Oak 17 in dia. in the line,  
31.69 Set the gr. sec. cor. post from which  
a W. Oak 13 in dia. bears N 85 3/4 W 153 1/4  
& a S. Oak 17 " " " S 22 1/4 W 26 "  
71.69 To the section corner,

North Between sections 5 & 6,  
5.00 To state road from Meah. city to  
Lafayette, cor. S. S. W.  
66.50 To the N. boundary, at post,  
Land level & 2<sup>nd</sup> rate prairie



T. 35. N. R. 4 W. 2<sup>nd</sup> Mer. Ind<sup>a</sup>;

C. L. Some Hazel brush on N<sup>e</sup> mile,  
 March 19<sup>th</sup> 1834 — R. Clark Jr. D. S.

I do hereby certify that that in  
 pursuance of a contract with M. S.  
 Williams, Surveyor General of the U.  
 States for the States of Ohio, Indiana  
 & Mich: Territory, dated 1<sup>st</sup> day of July  
 1833. In strict conformity to the laws  
 of the U. States & the instructions of  
 the said Sur. Genl. I have surveyed  
 & subdivided into sections Town. 35 N.  
 Range 5 W. of 2<sup>nd</sup> Mer. Indiana. & I  
 do further certify that the foregoing  
 are the true original field notes  
 of the said survey & subdivision  
 Executed as aforesaid.

Certified this 12<sup>th</sup> day of May  
 1834.

Sylvester Sibley. D. S.

By Robt Clark, Jr. Dep. Sur,  
 William W. Adams  
 Abraham Wood 3 Chain men,  
 Alexis Arguet. Marked. —

T. 35 N. R. 4 W. 2<sup>d</sup> Mer. Ind.<sup>a</sup> 486

I certify that the foregoing transcript  
of field notes of Town. 35 North Range 4  
West 2<sup>d</sup> Mer. Indiana, has been com-  
pared with the original in this office  
& found to be correct.

C. S. Wainwright  
Sur. Genl.

Surveyor General's Office,  
Cincinnati. May 26<sup>th</sup> 1842.